

REGISTRATION OF PLANT DESIGN FOR PREFABRICATED SCAFFOLDING



ABN 50 560 588 327

Client No: 6091023

Printed: 27/09/2012

Safe Access Solutions Pty Ltd
C/- Aztec Analysis
ATTN: Jennifer Newbury
60 Wyatt Street
ADELAIDE SA 5000

Contact details

Licensing Clerk

Address: Level 4 Building A
33 Richmond Road
KESWICK SA 5035

Postal: GPO Box 465
ADELAIDE SA 5001

Phone: 1300 365 255
Fax: +61 8 8303 0411

Website: www.safework.sa.gov.au

DETAILS OF REGISTERED DESIGN

Site Address: 52-58 Chapel Street
THEBARTON SA 5031
AUSTRALIA

Design Registration Number: SD 00274-3

Issued: 13 September 2012

Description: Prefabricated Scaffolds - Maxiskaff
3m length x 1.5m; 1500 series
3m length x 1.0m; 1000 series
3m length x 0.7m; 700 series

Design Drawing Numbers: A990365 SK1B, SK2B, SK3B, SK4A
Load test report A990365-D03
Load Test report Aztec AAD120040
Drg DG02 H Frame 07 28/05/2012

Designer: Aztec Analysis

Design Code: AS1576:1995 Parts 1 and 3; AS1576:2010 Part 1; AS1657:1992

Design Criteria: 3mx1.5m, Medium Duty; 8.8m Max; 33% Brace
3mx1.0m; Medium Duty; 6.0m Max; 33% Brace
3mx0.7m; Medium Duty; 4.0m Max; 33% Brace

Hazard Level:

This is to certify that the design of the item of plant described has been registered pursuant to the Occupational Health Safety and Welfare Regulations 2010 and the National Occupational Health and Safety Standard for Plant. If this registered design is altered, it must be re-submitted for re-registration within 21 days or this registration will lapse. The Registered design number must be provided to any manufacturer, importer or supplier of the plant. The Design Registration Number: SD 00274-3 must be permanently marked on the plant. Non compliance with the regulations may incur a penalty.

Mr David Rynes,
Delegate of Director
SafeWork SA, Department of Premier and Cabinet